








Medium Term Planning: Spring term – Y5/6.

| Week. | Mathematical aspect | Non-negotiable end points Year 5. | Non-negotiable end points Year 6 | Curriculum statements – Year 5. | Curriculum Statements. Year 6. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|--|---|--|-----------|-------|----------------------|----------------------|------|-----------------------|----------------------|------|---------------------|----------------------|--------|----------------------|---------------------|--|--|--|--|--|---|--------------------|--|--------------------|--|--------------------|---|--------------------|---|--------------------|---|--------------------|--|---|---|---|---|--|--|--|--|----|---|---|---|--|--|--|--|
| 1. | Number and place value: positive and negative numbers and rounding | Knows how to read and interpret negative numbers and find differences between negative and positive numbers. | Knows how to calculate with negative and positive numbers. | <ul style="list-style-type: none"> ● To interpret negative numbers in context, count forwards and backwards with positive and negative whole numbers through zero. ● To round any number up to 1,000,000 to the nearest 10, 100, 1000, 10,000 and 100,000. ● To solve number problems and practical problems that involve all of the above. | <ul style="list-style-type: none"> ● To read, write, order and compare numbers at least to 10,000,000 and determine the value of each digit. ● To round any whole number to a required degree of accuracy. ● To use negative numbers in context and calculate intervals across zero. ● To solve number problems and practical problems that involve all of the above. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>Links to resources and policy documents:</p> <p>Use the number line to answer the questions.</p>  <ul style="list-style-type: none"> • What is 6 less than 4? • What is 5 more than -2? • What is the difference between 3 and -3? <p>Here are the temperatures in four cities at midnight and at midday.</p> <table border="1" data-bbox="240 800 516 968"> <thead> <tr> <th>City</th> <th>At midnight</th> <th>At midday</th> </tr> </thead> <tbody> <tr> <td>Paris</td> <td>-4°C</td> <td>-2°C</td> </tr> <tr> <td>Oslo</td> <td>-13°C</td> <td>-7°C</td> </tr> <tr> <td>Rome</td> <td>3°C</td> <td>10°C</td> </tr> <tr> <td>Warsaw</td> <td>-6°C</td> <td>2°C</td> </tr> </tbody> </table> <p>At midnight, how many degrees colder was Paris than Rome?</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">degrees</div> <p>Which city was 6 degrees colder at midnight than at midday?</p> <p>In the daytime, the temperature reached a maximum of 8°C in Suzie's garden. At night it fell to -4°C. By how many degrees did the temperature fall?</p> | | | | City | At midnight | At midday | Paris | -4°C | -2°C | Oslo | -13°C | -7°C | Rome | 3°C | 10°C | Warsaw | -6°C | 2°C |  <table border="1" data-bbox="1377 856 1852 1125"> <tbody> <tr> <td>Which place has the coldest temperature?</td> <td></td> </tr> <tr> <td>Which place has the warmest temperature?</td> <td></td> </tr> <tr> <td>What is the difference in the temperatures in Stockholm and Rome?</td> <td>$^{\circ}\text{C}$</td> </tr> <tr> <td>What is the difference in the temperatures in Dublin and Copenhagen?</td> <td>$^{\circ}\text{C}$</td> </tr> <tr> <td>The temperature in Paris decreases by 5°C. What is the new temperature?</td> <td>$^{\circ}\text{C}$</td> </tr> <tr> <td>The temperature in London increases by 6°C. What is the new temperature?</td> <td>$^{\circ}\text{C}$</td> </tr> <tr> <td>The temperature in Oslo increases by 4°C. What is the new temperature?</td> <td>$^{\circ}\text{C}$</td> </tr> <tr> <td>The temperature in Berlin decreases by 3°C. What is the new temperature?</td> <td>$^{\circ}\text{C}$</td> </tr> </tbody> </table> <p>Calculate the difference between the numbers shown by the two arrows.</p>  | Which place has the coldest temperature? | | Which place has the warmest temperature? | | What is the difference in the temperatures in Stockholm and Rome? | $^{\circ}\text{C}$ | What is the difference in the temperatures in Dublin and Copenhagen? | $^{\circ}\text{C}$ | The temperature in Paris decreases by 5°C . What is the new temperature? | $^{\circ}\text{C}$ | The temperature in London increases by 6°C . What is the new temperature? | $^{\circ}\text{C}$ | The temperature in Oslo increases by 4°C . What is the new temperature? | $^{\circ}\text{C}$ | The temperature in Berlin decreases by 3°C . What is the new temperature? | $^{\circ}\text{C}$ | <p>Nikolas is finding the difference in temperature between midday and midnight.</p> <p>The thermometer shows the temperature at midday.</p>  <p>At midnight it is 7°C colder.</p> <p>What is the temperature at midnight?</p>  <p>What is the temperature measured by this thermometer?</p> <p>If the temperature fell by 18°C what would it be? <input style="width: 20px;" type="text"/></p> <p>a) Continue this number sequence:</p> <table border="1" data-bbox="1991 1409 2763 1451"> <tbody> <tr> <td>7</td> <td>5</td> <td>3</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>b) Continue this number sequence:</p> <table border="1" data-bbox="1991 1524 2763 1566"> <tbody> <tr> <td>12</td> <td>8</td> <td>4</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> | 7 | 5 | 3 | 1 | | | | | 12 | 8 | 4 | 0 | | | | |
| City | At midnight | At midday | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Paris | -4°C | -2°C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oslo | -13°C | -7°C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Rome | 3°C | 10°C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Warsaw | -6°C | 2°C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Which place has the coldest temperature? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Which place has the warmest temperature? | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| What is the difference in the temperatures in Stockholm and Rome? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| What is the difference in the temperatures in Dublin and Copenhagen? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The temperature in Paris decreases by 5°C . What is the new temperature? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The temperature in London increases by 6°C . What is the new temperature? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The temperature in Oslo increases by 4°C . What is the new temperature? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| The temperature in Berlin decreases by 3°C . What is the new temperature? | $^{\circ}\text{C}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | 5 | 3 | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | 8 | 4 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. | All four operations: order of operations, Addition and subtraction: written methods | Knows the formal written methods of columnar addition and subtraction with increasingly large numbers and decimals. | Knows the rules of BODMAS. Knows the compact algorithms for addition and subtraction operations. | <ul style="list-style-type: none"> ● To add and subtract whole numbers with more than 4 digits, including using efficient written methods (columnar addition and subtraction). ● To solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why. ● To use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy. | <ul style="list-style-type: none"> ● To perform mental calculations, including with mixed operations and large numbers. ● To use their knowledge of the order of operations to carry out calculations involving the four operations ● To use estimation to check answers to calculations and determine, in the context of a problem, levels of accuracy. ● To solve problems involving addition, subtraction, multiplication and division. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |


Medium Term Planning: Spring term – Y5/6.

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|--|--|--|-----|----|----|----|----|---|-----|---|----|-----|----|----|----|----|-----|----|---|-----|----|---|--|
| | | | | <ul style="list-style-type: none"> ● To solve problems involving numbers up to three decimal places. | <ul style="list-style-type: none"> ● To use estimation to check answers to calculations and determine, in the context of a problem, levels of accuracy. ● Add whole numbers and decimals using formal written methods (columnar addition). ● Subtract whole numbers and decimals using formal written methods (columnar subtraction). | | | | | | | | | | | | | | | | | | | | | |
| <p>Links to resources and policy documents:</p> <p>Find the missing digits. What do you notice?</p> <table border="1" data-bbox="335 499 566 636"> <tr><td></td><td>5</td><td>2</td><td>2</td><td>4</td><td>7</td><td>?</td></tr> <tr><td>+</td><td>3</td><td>?</td><td>5</td><td>9</td><td>0</td><td>4</td></tr> <tr><td></td><td>9</td><td>0</td><td>?</td><td>3</td><td>?</td><td>2</td></tr> </table> <p style="text-align: center;">$3,565 + 2,250 = 5,815$</p> <p>Use this calculation to decide if the following calculations are true or false.</p> <p>True or False?</p> <p>$4,565 + 1,250 = 5,815$</p> <p>$5,815 - 2,250 = 3,565$</p> <p>$4,815 - 2,565 = 2,250$</p> <p>$3,595 + 2,220 = 5,845$</p> | | | | | 5 | 2 | 2 | 4 | 7 | ? | + | 3 | ? | 5 | 9 | 0 | 4 | | 9 | 0 | ? | 3 | ? | 2 |  | <p>Join each of these calculations to the number that is nearest to the correct answer.</p> <p>One has been done for you.</p>  |
| | 5 | 2 | 2 | 4 | 7 | ? | | | | | | | | | | | | | | | | | | | | |
| + | 3 | ? | 5 | 9 | 0 | 4 | | | | | | | | | | | | | | | | | | | | |
| | 9 | 0 | ? | 3 | ? | 2 | | | | | | | | | | | | | | | | | | | | |
| 3. | <p>Multiplication and division: square and cube numbers written methods</p> | <p>Knows the definition of square and cube numbers and the correct notation. Knows compact notation for long multiplication. Knows the compact algorithm for short division including remainders.</p> | <p>Knows the efficient written algorithms for long/short multiplication and division</p> | <ul style="list-style-type: none"> ● To recognise and use square numbers and cube numbers, and the notation for squared (2) and cubed (3). ● To multiply numbers up to 4 digits by a one- or two-digit number using an efficient written method, including long multiplication for two-digit numbers. ● To divide numbers up to 4 digits by a one-digit number using the efficient written method of short division and interpret remainders appropriately for the context. | <ul style="list-style-type: none"> ● To identify common factors, common multiples and prime numbers ● To multiply multi-digit numbers up to 4 digits by a one-digit whole number using the efficient written method of short multiplication. ● To multiply multi-digit numbers up to 4 digits by a two-digit whole number using the efficient written method of long multiplication. ● To divide numbers up to 4 digits by a one-digit whole number using the efficient written method of long division, and interpret remainders as whole number remainders, ● To divide numbers up to 4 digits by a two-digit whole number using the efficient written method of long division, and interpret remainders as whole number remainders, ● To solve problems involving addition, subtraction, multiplication and division. | | | | | | | | | | | | | | | | | | | | | |
| <p>Links to resources and policy documents:</p> <p>Square numbers</p> <p>A square number is a number multiplied by itself. This can also be called 'a number squared'. The symbol for squared is 2.</p> <p>Cube numbers</p> <p>A cube number is a number multiplied by itself 3 times. This can also be called 'a number cubed'. The symbol for cubed is 3.</p> | | | | <p>Write the following as a number sentence and then solve them:</p> <p>1) $2^2 =$</p> <p>2) $4^2 =$</p> <p>3) $5^2 =$</p> <p>4) $10^2 =$</p> | <p>Circle the square numbers.</p> <table border="1" data-bbox="1976 1371 2561 1507"> <tr><td>1</td><td>49</td><td>66</td><td>17</td><td>36</td><td>9</td><td>144</td></tr> <tr><td></td><td>75</td><td>101</td><td>81</td><td>46</td><td>89</td><td>12</td></tr> <tr><td>100</td><td>25</td><td>4</td><td>123</td><td>46</td><td>121</td><td>64</td></tr> </table> <p>Work out:</p> <p>$6^2 =$</p> <p>$3^3 =$</p> <p>4 squared =</p> <p>8 cubed =</p> <p>Julian thinks that 4^2 is 16. Do you agree? Convince me.</p> | 1 | 49 | 66 | 17 | 36 | 9 | 144 | | 75 | 101 | 81 | 46 | 89 | 12 | 100 | 25 | 4 | 123 | 46 | 121 | 64 |
| 1 | 49 | 66 | 17 | 36 | 9 | 144 | | | | | | | | | | | | | | | | | | | | |
| | 75 | 101 | 81 | 46 | 89 | 12 | | | | | | | | | | | | | | | | | | | | |
| 100 | 25 | 4 | 123 | 46 | 121 | 64 | | | | | | | | | | | | | | | | | | | | |


Medium Term Planning: Spring term – Y5/6.

| | | | | | |
|----|---|--|---|--|---|
| 4. | Geometry: position and direction all four quadrants | Knows how to describe a translation or reflection of a shape, including reference to the axes in the first quadrant. | Knows how to draw and label a pair of axes in all four quadrants with equal scaling, including the use of negative numbers. | <ul style="list-style-type: none"> To identify, describe and represent the position of a shape following a reflection or translation using the appropriate language, and know that the shape has not changed. | <ul style="list-style-type: none"> To describe positions on the full co-ordinate grid (all four quadrants). Including on blank axis. To draw and translate simple shapes on the co-ordinate plane and reflect them in the axes. |
|----|---|--|---|--|---|

Object A is reflected in the mirror line to give image B. Write the coordinates of the vertices for each shape.



| | Original Coordinate | Reflected Coordinate |
|--|---------------------|----------------------|
| | | |
| | | |
| | | |
| | | |



This right-angled triangle is translated **right 6, down 3**. Draw the triangle in its new position.

Here is a co-ordinate grid.

Reflect Shape A in the y axis.

Layla draws a square on this coordinate grid. Three of the vertices are marked.

What are the coordinates of the missing vertex?

Write the co-ordinates of the vertices of your new shape.

| | | | | | |
|----|------------------------|--|---|--|---|
| 5. | Fractions: calculating | Knows how to convert fractions to a common denominator for addition and subtraction. | Knows how to calculate with fractions. Knows that dividing by 2 is the same as multiplying by $\frac{1}{2}$. | <ul style="list-style-type: none"> To recognise mixed numbers and improper fractions and convert from one form to the other; write mathematical statements > 1 as a mixed number. To add and subtract fractions with the same denominator and multiples of the same number | <ul style="list-style-type: none"> To add and subtract fractions with different denominators and mixed numbers, using the concept of equivalent fractions. To multiply simple pairs of proper fractions, writing the answer in its simplest form. To divide proper fractions by whole numbers. |
|----|------------------------|--|---|--|---|

Links to resources and policy documents:

$\frac{1}{2} \times \frac{2}{3} = \frac{2}{6} = \frac{1}{3}$

$\frac{1}{4} + 2$ We know this is the same as: $\frac{1}{4} \times \frac{1}{2} = \frac{1}{8}$

Now it's your turn!

$\frac{1}{5} + 2 = \frac{1}{5} \times \frac{2}{2} = \frac{2}{10}$

$\frac{1}{6} + 3 = \frac{1}{6} \times \frac{3}{3} = \frac{3}{18}$

$\frac{3}{11} + 4 = \frac{3}{11} \times \frac{4}{4} = \frac{12}{44}$

Convert the mixed numbers to improper fractions to calculate:

$4\frac{4}{5} - 1\frac{9}{10} = 2\frac{1}{7} - 1\frac{1}{3} = 3\frac{5}{12} - 1\frac{7}{9} = 3\frac{5}{11} - 1\frac{4}{5} =$

Eva has a full tin of paint. She uses $\frac{1}{3}$ of the tin on Friday, $\frac{1}{21}$ on Saturday and $\frac{2}{7}$ on Sunday. How much paint does she have left?

Tommy is adding mixed numbers. He adds the wholes and then adds the fractions. Then, Tommy simplifies his answer.

$1\frac{1}{2} + 2\frac{1}{6} = 1\frac{3}{6} + 2\frac{1}{6} = 3\frac{4}{6} = 3\frac{2}{3}$

Use Tommy's method to add the fractions.

$3\frac{1}{2} + 2\frac{3}{8} = 34\frac{1}{9} + 5\frac{2}{5} = 12\frac{5}{12} + 2\frac{1}{7} =$

Whitney is calculating $\frac{5}{8} + \frac{3}{16}$

She finds the lowest common multiple of 8 and 16 to find a common denominator.

LCM of 8 and 16 is 16 $\frac{5}{8} = \frac{10}{16}$ $\frac{10}{16} + \frac{3}{16} = \frac{13}{16}$

Use this method to calculate:

$\frac{1}{3} + \frac{2}{9} = \frac{3}{7} + \frac{7}{21} = \frac{8}{15} + \frac{1}{5} = \frac{3}{16} + \frac{3}{8} + \frac{1}{4} =$

Use $<$, $>$ or $=$ to make the statements correct.

$\frac{1}{4} \times \frac{1}{2}$ $\frac{1}{4} \times 2$

$\frac{1}{4} \times \frac{1}{3}$ $\frac{1}{4} \div 3$

Medium Term Planning: Spring term – Y5/6.

| | | | | | |
|----|--------------------------------------|--|---|--|--|
| 6. | Fractions: calculating with decimals | Knows that percentages, decimals and fractions are different ways of expressing proportions. | Knows how to multiply and divide numbers with up to two decimal places by one-digit and two-digit whole numbers. Knows multiply decimals by whole numbers in practical contexts, such as measures and money. Knows how to divide decimal numbers by one-digit whole number, in practical contexts involving measures and money. | <ul style="list-style-type: none"> To solve problems which require knowing percentage and decimal equivalents of $\frac{1}{2}, \frac{1}{4}, \frac{1}{5}, \frac{2}{5}, \frac{4}{5}$ and those fractions with a denominator of a multiple of 10 or 25. | <ul style="list-style-type: none"> To multiply one-digit numbers with up to two decimal places by whole numbers. To use written division methods in cases where the answer has up to two decimal places. To solve problems which require answers to be rounded to specified degrees of accuracy. To recall and use equivalences between simple fractions, decimals and percentages, including in different contexts. |
|----|--------------------------------------|--|---|--|--|

Links to resources and policy documents:

A jar of sweets weighs 1.213 kg. How much would 4 jars weigh?




A boy bought 4 magazines at £1.34 each and 3 birthday cards at £1.65 each.

How much did he spend? £

Complete the table.


| Decimal | Fraction in tenths or hundredths | Simplified fraction |
|---------|----------------------------------|---------------------|
| 0.6 | $\frac{6}{10}$ | $\frac{3}{5}$ |
| | | |
| | | |
| 0.95 | | |

Q12. Here are three bags in a shop



How much does bag B cost to the nearest pound?

rounded to the nearest whole number is



E.g. $560 \div 24 =$

$$\begin{array}{r} 23.333 \\ 24 \overline{) 560.000} \end{array}$$

let's try some mental multiplication using decimals.

























- a) $0.6 \times 7 =$
- b) $0.5 \times 9 =$
- c) $0.03 \times 8 =$
- d) $0.08 \times 6 =$
- e) $0.002 \times 4 =$
- f) $0.006 \times 12 =$

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 2 | 4 | | 1 | 2 | 4 | | 2 | 3 | 5 | | 4 | 7 | 6 |
| x | | | 3 | | x | | 3 | | x | | 5 | | x | | 6 |
| | 1 | 8 | 7 | 2 | | 3 | 7 | 2 | | 1 | 1 | 7 | 5 | | 2 |




| | | |
|-------------|-------------|---------------|
| $66 \div 8$ | $78 \div 8$ | $3.14 \div 2$ |
| | | |

| | | | | | |
|----|--|--|---|---|---|
| 7. | Percentages: Calculation FDP equivalence | Knows that percentages, decimals and fractions are different ways of expressing proportions. | Knows how to calculate % Knows how to use equivalence between fractions, decimals and % when calculating. | <ul style="list-style-type: none"> To recognise the per cent symbol (%) and understand that per cent relates to 'number of parts per hundred', and write percentages as a fraction with denominator 100, and as a decimal. To solve problems which require knowing percentage and decimal equivalents of $\frac{1}{2}, \frac{1}{4}, \frac{1}{5}, \frac{2}{5}, \frac{4}{5}$ and those fractions with a denominator of a multiple of 10 or 25. | <ul style="list-style-type: none"> Recall and use equivalences between simple fractions, decimals and percentages, including in different contexts. Find percentages of amounts. Solve problems involving the calculation of percentages (for example, of measures, and such as 15% of 360) and the use of percentages for comparison. |
|----|--|--|---|---|---|

Medium Term Planning: Spring term – Y5/6.

|  <p>100% = 500 What is 10%? What is 50%? Is 70% = 350</p> <p>100% = £400 What is 30%? Is 20% = £90?</p> | <table border="1"> <tr><th></th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr> <tr><td>Percentage</td><td>50%</td><td>25%</td><td>10%</td><td>75%</td><td>20%</td></tr> <tr><td>Hundredths</td><td>$\frac{50}{100}$</td><td></td><td></td><td></td><td></td></tr> <tr><td>Decimal</td><td>0.5</td><td></td><td></td><td></td><td></td></tr> <tr><td>Fraction</td><td>$\frac{1}{2}$</td><td></td><td></td><td></td><td></td></tr> <tr><td>Hundredth grid</td><td></td><td></td><td></td><td></td><td></td></tr> </table> | | a | b | c | d | e | Percentage | 50% | 25% | 10% | 75% | 20% | Hundredths | $\frac{50}{100}$ | | | | | Decimal | 0.5 | | | | | Fraction | $\frac{1}{2}$ | | | | | Hundredth grid |  |  |  |  |  | <table border="1"> <tr><th>100%</th><th>50%</th><th>25%</th><th>75%</th><th>10%</th></tr> <tr><td>1000 m</td><td>500 m</td><td>250 m</td><td>750 m</td><td>100 m</td></tr> <tr><td>160 kg</td><td>80 kg</td><td>40 kg</td><td>120 kg</td><td>16 kg</td></tr> <tr><td>1080 mm</td><td>540 mm</td><td>270 mm</td><td>810 mm</td><td>108 mm</td></tr> </table> | 100% | 50% | 25% | 75% | 10% | 1000 m | 500 m | 250 m | 750 m | 100 m | 160 kg | 80 kg | 40 kg | 120 kg | 16 kg | 1080 mm | 540 mm | 270 mm | 810 mm | 108 mm | <table border="1"> <tr><th>100%</th><th>50%</th><th>25%</th><th>75%</th><th>10%</th><th>20%</th><th>5%</th></tr> <tr><td>240 kg</td><td>120 kg</td><td>60 kg</td><td>180 kg</td><td>24 kg</td><td>48 kg</td><td>12 kg</td></tr> <tr><td>1200 m</td><td>600 m</td><td>300 m</td><td>900 m</td><td>120 m</td><td>240 m</td><td>60 m</td></tr> <tr><td>80 cm</td><td>40 cm</td><td>20 cm</td><td>60 cm</td><td>8 cm</td><td>16 cm</td><td>4 cm</td></tr> </table> | 100% | 50% | 25% | 75% | 10% | 20% | 5% | 240 kg | 120 kg | 60 kg | 180 kg | 24 kg | 48 kg | 12 kg | 1200 m | 600 m | 300 m | 900 m | 120 m | 240 m | 60 m | 80 cm | 40 cm | 20 cm | 60 cm | 8 cm | 16 cm | 4 cm |
|--|--|--|--|--|--|-------|---|------------|-----|-----|-----|-----|-----|------------|------------------|--|--|--|--|---------|-----|--|--|--|--|----------|---------------|--|--|--|--|----------------|---|---|--|---|---|---|------|-----|-----|-----|-----|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|---------|--------|--------|--------|--------|--|------|-----|-----|-----|-----|-----|----|--------|--------|-------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|------|-------|------|
| | a | b | c | d | e | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Percentage | 50% | 25% | 10% | 75% | 20% | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hundredths | $\frac{50}{100}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Decimal | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Fraction | $\frac{1}{2}$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hundredth grid |  |  |  |  |  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100% | 50% | 25% | 75% | 10% | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1000 m | 500 m | 250 m | 750 m | 100 m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 160 kg | 80 kg | 40 kg | 120 kg | 16 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1080 mm | 540 mm | 270 mm | 810 mm | 108 mm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100% | 50% | 25% | 75% | 10% | 20% | 5% | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 240 kg | 120 kg | 60 kg | 180 kg | 24 kg | 48 kg | 12 kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1200 m | 600 m | 300 m | 900 m | 120 m | 240 m | 60 m | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 80 cm | 40 cm | 20 cm | 60 cm | 8 cm | 16 cm | 4 cm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8. | Measurement: area, perimeter and volume | Knows the three dimensions for finding the volume. | Knows how to recognise that shapes with the same area can have different perimeters and vice versa. Knows the formula for volume $l \times b \times h$ | <ul style="list-style-type: none"> To measure and calculate the perimeter of composite rectilinear shapes in centimetres and metres; To calculate and compare the area of rectangles (including squares), and including using standard units, square centimetres (cm²) and square metres (m²) and estimate the area of irregular shapes; To estimate volume [for example, using 1 cm³ blocks to build cuboids (including cubes)] and capacity [for example, using water] | <ul style="list-style-type: none"> To recognise that shapes with the same area can have different perimeters and vice versa. To calculate the area of parallelograms and triangles. To recognise when it is necessary to use the formulae for area and volume of shapes. To calculate, estimate and compare volume of cubes and cuboids using standard units, including centimetre cubed (cm³) and cubic metres (m³) and extending to other units such as mm³ and km³. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Links to resources and policy documents: | |  <p>Volume = length x width x height Volume = 12 x 4 x 3 = 144</p>  <p>_____ cm³</p> | |  <p>Area = 24 m²</p> <p>Each square has an area of 4 square cm. What is the length of each square? What is the perimeter of the whole shape?</p> <p>How many more cubes would this model need to have a volume of 27 cm³?</p>  <p>_____ cubes</p> | <p>This cuboid has dimensions of 1cm x 1cm x 1cm. </p> <p>Estimate the volume of the following cuboids.</p>  <p>_____ cm³ _____ cm³</p> <p>Join the dots to draw a rectangle that has an area of 20 cm² and a perimeter of 18 cm.</p>  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9. | Ratio and proportion: ratio, scaling and scale factors | Knows proportions are out of the whole and can be represented as fractions, decimals or percentages. | Knows ratios compares quantities. Knows the notation $a:b$ to record a ratio. Knows how to use multiplication/division to find a scale factor. | <ul style="list-style-type: none"> To solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates. | <ul style="list-style-type: none"> To solve problems involving the relative sizes of two quantities where missing values can be found by using integer multiplication and division facts To solve problems involving similar shapes where the scale factor is known or can be found. To solve problems involving unequal sharing and grouping using knowledge of fractions and multiples. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Links to resources and policy documents: | | | | <p>Can you complete this chart showing the price of biscuits?</p> <table border="1"> <tr><th>Biscuits</th><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td></tr> <tr><th>Cost</th><td></td><td></td><td></td><td></td><td></td><td>£1.80</td><td></td><td></td></tr> </table> | Biscuits | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Cost | | | | | | £1.80 | | | <p>Ratio of red to green to yellow is</p> <p>3:1:1</p>  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Biscuits | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cost | | | | | | £1.80 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Medium Term Planning: Spring term – Y5/6.

| | | | | | |
|--|---|---|--|--|--|
| <p>Serves 3 people 1 egg 50 g flour 50 ml milk</p> <p>Look at this recipe for Yorkshire puddings. How much flour would you need to make puddings for 6 people? Complete this: "for every egg you need 50 g flour and 50 ml milk."</p> | <p>Here are two similar right-angled triangles.</p>  <p>Write the ratio of side a to side b.</p> <p>$a : b =$ <input type="text"/> $:$ <input type="text"/></p> | <p>In a bag of beads there were 3 red beads for every blue bead.</p> <p>Altogether there were 80 blue beads.</p> <p>How many red beads were there?</p> | <p>Rectangles B and C have been scaled from rectangle A. Find the missing lengths.</p>  | | |
| <p>10.</p> | <p>Algebra: finding unknowns and variables</p> | <p>Knows how to find missing numbers in a sequence.</p> | <p>Knows how to use the arithmetic relationships to find unknowns or variables.</p> | <ul style="list-style-type: none"> To find pairs of numbers that satisfy number sentences involving two unknowns. | <ul style="list-style-type: none"> To find pairs of numbers that satisfy number sentences involving two unknowns. To enumerate all possibilities of combinations of two variables. |
| <p>Links to resources and policy documents:</p> <p>A theme park sells tickets online. Each ticket costs £24 There is a £3 charge for buying tickets. Which of these shows how to calculate the total cost, in pounds?</p> <p>Tick one.</p> <p>number of tickets \times 3 + 24 <input type="checkbox"/></p> <p>number of tickets \times 24 + 3 <input type="checkbox"/></p> <p>number of tickets + 3 \times 24 <input type="checkbox"/></p> <p>number of tickets + 24 \times 3 <input type="checkbox"/></p> | | <p>The numbers in this sequence increase by 45 each time. Write the missing numbers.</p> <p><input type="text"/> 155 200 245 <input type="text"/> <input type="text"/></p> | | <p>Here is a number line starting at 0 Two numbers are marked on the number line.</p>  <p>A is 20 less than B.</p> <p>What is the value of B?</p> <p>$x + 2y = 20$</p> <p>x and y are whole numbers less than 10 What could x and y be?</p> <p>$x =$ <input type="text"/></p> <p>$y =$ <input type="text"/></p> | |
| <p>11.</p> | <p>Statistics: mean average line graphs</p> | <p>Knows which representations of data are most appropriate and why using a line graph.</p> | <p>Knows the arithmetic for finding the mean average.</p> | <ul style="list-style-type: none"> To solve comparison, sum and difference problems using information presented in a line graph. | <ul style="list-style-type: none"> To calculate and interpret the mean as an average. To interpret and construct pie charts and line graphs and use these to solve problems; |

Medium Term Planning: Spring term – Y5/6.

Links to resources and policy documents:

Calculate the mean number of crayons:

| Crayon colour | Amount |
|---------------|--------|
| Blue | 14 |
| Green | 11 |
| Red | 10 |
| Yellow | 9 |

Seven children measured their heights.


| Children | Height (cm) |
|----------|-------------|
| Stefan | 144 |
| Lara | 136 |
| Olivia | 142 |
| Chen | 143 |
| Maria | 152 |
| Dev | 148 |
| Sarah | 150 |

What is the mean height of the children?

Here is a method to find the mean.

| No. of glasses of juice drunk by 3 friends | Total glasses of juice drank | If each friend drank the same no. of glasses | The mean number of glasses of juice drunk is 3 |
|--|------------------------------|--|--|
| | | | |

Use this method to calculate the mean average for the number of slices of pizza eaten by each child.



Last year, Jacob went to four concerts.

Three of his tickets cost £5 each.



The other ticket cost £7



What was the **mean** cost of the tickets?

Hassan is the top batsman for the cricket team. His scores over the year are: 134, 60, 17, 63, 38, 84, 11

Calculate the mean number of runs Hassan scored.

12.

Geometry: properties of shape, 3D nets circles missing lengths and angles

Knows how to use angle sum facts and other properties to make deductions about missing angles and lengths.

Knows how to visualise 3D shapes from nets. Knows the parts of the circle.


• To use the properties of rectangles to deduce related facts and find missing lengths and angles.

• To recognise, describe and build simple 3D shapes, including making nets
• To illustrate and name parts of circles, including radius, diameter and circumference and know that the diameter is twice the radius


Links to resources and policy documents:

Here are some nets of shapes.

For each net, put a tick (✓) if it folds to make a pyramid. Put a cross (X) if it does not.



Using the labels complete the diagram:



A bicycle wheel has a diameter of 64 cm. What is the **radius** of the bicycle wheel?

 cm

• Here is a rectangle.



What is the sum of angles a and b?

Find angle c.

Complete the table:

| Radius | Diameter |
|--------|----------|
| 26 cm | |
| | 37 mm |
| 2.55 m | |
| | 99 cm |
| | 19.36 cm |

Match each net to the name of its shape. One has been done for you.

